

	Hits	Search Text	DBs	Time Stamp
1	12856	707/1-4,8-10.ccls.	US-PGPUB; USPAT	2004/10/26 15:08
2	68	((707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.) or (709/200- 205,217-219,227-229.ccls. or 711/100,101,111,112,154.ccls.)) and (identify\$4 and (perform\$4 with element\$2) and (file with access with structure\$2))	USPAT	2004/10/26 15:43
3	107	((707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.) or (709/200- 205,217-219,227-229.ccls. or 711/100,101,111,112,154.ccls.)) and (identify\$4 and (perform\$4 with element\$2) and (file with access with structure\$2))	US-PGPUB; USPAT	2004/10/26 16:05
4	15	((707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.) or (709/200- 205,217-219,227-229.ccls. or 711/100,101,111,112,154.ccls.)) and (identify\$4 and (perform\$4 adj2 element\$2) and (file with access with structure\$2))	US-PGPUB; USPAT	2004/10/26 16:09
5	3	((707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.) or (709/200- 205,217-219,227-229.ccls. or 711/100,101,111,112,154.ccls.)) and (identify\$4 and (perform\$4 with action\$2 with element\$2) and (file with access with structure\$2))	US-PGPUB; USPAT	2004/10/26 16:25
6	189	descriptor with (look adj up or look\$2up) with table\$2	US-PGPUB; USPAT	2004/10/26 16:25

	Hits	Search Text	DBs	Time Stamp
7	5	(identify\$4 and (perform\$4 with action\$2 with element\$2) and (file with access with structure\$2))	US-PGPUB; USPAT	2004/10/26 16:29
8	5	(identify\$4 and (perform\$4 with action\$2 with element\$2) and (file with access with structure\$2))	US-PGPUB; USPAT	2004/10/28 11:17
9	1965	endian\$5	US-PGPUB; USPAT	2004/10/28 11:21
10	20161	707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2004/10/26 16:47
11	20452	709/200-205,217-219,227- 229.ccls. or 711/100,101,111,112,154.ccls.	US-PGPUB; USPAT	2004/10/26 16:47
12	6845	707/100,101,104.1.ccls.	US-PGPUB; USPAT	2004/10/26 15:09
13	16	((707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.) or (709/200- 205,217-219,227-229.ccls. or 711/100,101,111,112,154.ccls.)) and (descriptor with (look adj up or look\$2up) with table\$2)	USPAT	2004/10/26 16:49
14	20161	707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2004/10/27 11:00
15	20452	709/200-205,217-219,227- 229.ccls. or 711/100,101,111,112,154.ccls.	US-PGPUB; USPAT	2004/10/27 11:01
16	20252	707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2004/10/28 10:05
17	20533	709/200-205,217-219,227- 229.ccls. or 711/100,101,111,112,154.ccls.	US-PGPUB; USPAT	2004/10/28 10:06
18	350	(file with access with structure\$2) and ((critical adj path\$2) or (commonly adj2 (used or utilized)))	US-PGPUB; USPAT	2004/10/28 11:19

	Hits	Search Text	DBs	Time Stamp
19	123	((707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.) or (709/200-205,217-219,227- 229.ccls. or 711/100,101,111,112,154.ccls.) and ((file with access with structure\$2) and ((critical adj path\$2) or (commonly adj2 (used or utilized))))	US-PGPUB; USPAT	2004/10/28 11:20
20	113	((707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.) or (709/200-205,217-219,227- 229.ccls. or 711/100,101,111,112,154.ccls.) and ((file with access with structure\$2) and ((critical adj path\$2) or (commonly adj2 (used or utilized))) and determin\$4)	US-PGPUB; USPAT	2004/10/28 11:20
21	75	((707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.) or (709/200-205,217-219,227- 229.ccls. or 711/100,101,111,112,154.ccls.) and ((file with access with structure\$2) and ((critical adj path\$2) or (commonly adj2 (used or utilized))) and determin\$4 and convert\$4)	US-PGPUB; USPAT	2004/10/28 11:43
22	38	endian\$5 with element\$2	US-PGPUB; USPAT	2004/10/28 13:04
23	4815	707/200-205.ccls.	US-PGPUB; USPAT	2004/10/26 15:09
24	3229	specific with code with function\$2	US-PGPUB; USPAT	2004/10/28 11:23
25	894	(us\$4 or utiliz\$4) with specific with code with function\$2	US-PGPUB; USPAT	2004/10/28 11:24

	Hits	Search Text	DBs	Time Stamp
26	15	((707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.) or (709/200-205,217-219,227-229.ccls. or 711/100,101,111,112,154.ccls.)) and ((file with access with structure\$2) and ((critical adj path\$2) or (commonly adj2 (used or utilized))) and determin\$4 and convert\$4 and ((us\$4 or utiliz\$4) with specific with code with function\$2))	US-PGPUB; USPAT	2004/10/28 11:24
27	1	((707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.) or (709/200-205,217-219,227-229.ccls. or 711/100,101,111,112,154.ccls.)) and ((file with access with structure\$2) and (critical adj path\$2) and determin\$4 and convert\$4)	US-PGPUB; USPAT	2004/10/28 11:43
28	8	(endian\$5 with element\$2) and ((swap\$4 or rworder\$4) with bytes)	US-PGPUB; USPAT	2005/06/24 10:52
29	20252	707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2004/10/28 15:33
30	20533	709/200-205,217-219,227-229.ccls. or 711/100,101,111,112,154.ccls.	US-PGPUB; USPAT	2004/10/28 15:33
31	15	((707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.) or (709/200-205,217-219,227-229.ccls. or 711/100,101,111,112,154.ccls.)) and ((direct adj access adj file\$2) and (input adj2 buffer\$2) and (output adj2 buffer))	US-PGPUB; USPAT	2004/10/28 15:33

	Hits	Search Text	DBs	Time Stamp
32	27	(direct adj access adj file\$2) and (input adj2 buffer\$2) and (output adj2 buffer)	US-PGPUB; USPAT	2004/10/28 15:45
33	27	(direct adj access)and (access\$4 with structure\$2 with file\$2) and (input adj2 buffer\$2) and (output adj2 buffer)	US-PGPUB; USPAT	2004/10/29 08:54
34	20161	707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2004/10/30 13:31
35	16	((707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.) or (709/200-205,217-219,227- 229.ccls. or 711/100,101,111,112,154.ccls.) and (direct adj access)and (access\$4 with structure\$2 with file\$2) and (input adj2 buffer\$2) and (output adj2 buffer)	US-PGPUB; USPAT	2004/10/28 15:57
36	63	(descriptor with table\$2) and (size adj2 field\$2) and (operation adj2 field\$2)	US-PGPUB; USPAT	2004/10/28 15:58
37	8	((707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.) or (709/200-205,217-219,227- 229.ccls. or 711/100,101,111,112,154.ccls.) and ((descriptor with table\$2) and (size adj2 field\$2) and (operation adj2 field\$2))	US-PGPUB; USPAT	2004/10/28 15:58
38	20252	707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2004/10/29 07:44
39	20533	709/200-205,217-219,227- 229.ccls. or 711/100,101,111,112,154.ccls.	US-PGPUB; USPAT	2004/10/29 07:44
40	69	(input adj2 buffer\$2) and (output adj2 buffer) and (descriptor adj2 table\$2)	US-PGPUB; USPAT	2004/10/29 09:01

	Hits	Search Text	DBs	Time Stamp
41	4	((707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.) or (709/200-205,217-219,227- 229.ccls. or 711/100,101,111,112,154.ccls.) and ((input adj2 buffer\$2) and (output adj2 buffer) and (descriptor adj2 table\$2))	US-PGPUB; USPAT	2004/10/29 09:02
42	3791	710/1,22,62,65,100.ccls.	US-PGPUB; USPAT	2004/10/30 13:30
43	16447	709/200-205,217-219,227- 229.ccls.	US-PGPUB; USPAT	2004/10/30 13:30
44	4189	711/100,101,111,112,154.ccls.	US-PGPUB; USPAT	2004/10/30 13:31
45	16371	709/200-205,217-219,227- 229.ccls.	US-PGPUB; USPAT	2004/10/30 13:30
46	20252	707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2004/11/01 08:03
47	24067	709/200-205,217-219,227- 229.ccls. or 710/1,22,62,65,100.ccls. or 711/100,101,111,112,154.ccls.	US-PGPUB; USPAT	2004/11/01 08:04
48	20252	707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2005/06/24 08:51
49	24067	709/200-205,217-219,227- 229.ccls. or 710/1,22,62,65,100.ccls. or 711/100,101,111,112,154.ccls.	US-PGPUB; USPAT	2005/06/24 08:51
50	24094	707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2005/06/24 10:53
51	27631	709/200,201-205,217-219,227- 229.ccls. or 710/1,22,62,65,100.ccls. or 711/100,101,111,112,154.ccls.	US-PGPUB; USPAT	2005/06/24 10:53
52	51	dafs with protocol\$2	US-PGPUB; USPAT	2005/06/24 10:54
53	24094	707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2005/06/25 08:40

	Hits	Search Text	DBs	Time Stamp
54	27631	709/200,201-205,217-219,227-229.ccls. or 710/1,22,62,65,100.ccls. or 711/100,101,111,112,154.ccls.	US-PGPUB; USPAT	2005/06/25 08:41
55	17	(S57 or S58) and (dafs with protocol\$2)	US-PGPUB; USPAT	2005/06/24 10:54
56	4182	711/100,101,111,112,154.ccls.	US-PGPUB; USPAT	2004/10/30 13:31
57	24094	707/1-4,8-10.ccls. or 707/100,101,104.1.ccls. or 707/200-205.ccls.	US-PGPUB; USPAT	2005/06/25 08:40
58	27631	709/200,201-205,217-219,227-229.ccls. or 710/1,22,62,65,100.ccls. or 711/100,101,111,112,154.ccls.	US-PGPUB; USPAT	2005/06/25 08:41
59	20452	709/200-205,217-219,227-229.ccls. or 711/100,101,111,112,154.ccls.	US-PGPUB; USPAT	2004/10/29 07:44
60	147	identify\$4 and (perform\$4 with element\$2) and (file with access with structure\$2)	USPAT	2004/10/26 15:28
61	122	descriptor with (look adj up or look\$2up) with table\$2	USPAT	2004/10/26 16:25